ELSEVIER

Journal of Magnetism and Magnetic Materials 191 (1999) 388–391

Journal of magnetism and magnetic materials

Author index to volume 191

Abu-Aljarayesh, I. and Sh. Migdadi, Numerical calculations of the entropy and magnetization of magnetic fluids with chain aggregates 174
Ahlers, D., see Popescu, V. 368
Ali, M., see García, D. 339
André, G., see Schobinger-Papamantellos, P. 261
André, G., see Rogl, P. 291
Antonov, I., L. Vatskitchev and M. Vatskitcheva, Origin of the force exciting domain wall deformation in a thin magnetic film 9

Bałanda, M., see Szytuła, A. 122
Barandiarán, J.M., see Schmool, D.S. 211
Barber, Z.H., see Blamire, M.G. 359
Barghout, K., see Hamdeh, H.H. 72
Barrué, R., see Lé, V. 169
Bauer, E., see Duden, T. 301
Beaurepaire, E., see Maret, M. 61
Bednarski, W., see Zayachuk, D.M. 207
Berling, D., G. Gewinner, M.C. Hanf, K. Hricovini, S. Hong, B. Loegel, A. Mehdaoui, C. Pirri, M.H. Tuilier, P. Wetzel, Magnetic properties of epitaxial $Fe(Si_{1-x}Fe_x)$ films grown on Si(1 1 1) 331
Bessière, M., see Maret, M. 61
Bica, D., see Socoliuc, V. 241
Blamire, M.G., B.-S. Teo, J.H. Durrell, N.D. Mathur, Z.H. Barber, J.L. McManus Driscoll, L.F. Cohen, J.E. Evetts, Strain-induced time-dependent magnetic disorder in ultra-thin $La_{0.7}Ca_{0.3}MnO_3$ films 359
Bordel, C., S. Pizzini, Y. Zhou, J. Voiron, A. Traverse, M. Porte, Evolution of magnetic and structural properties of nitrogenated TbFeCo thin films 323
Boureé, F., see Rogl, P. 291
Buchelnikov, V.D., V.S. Romanov and A.T. Zayak, Structural phase transitions in cubic ferromagnets 203
Buschow, K.H.J., see Schobinger-Papamantellos, P. 261

Cadeville, M.C., see Maret, M. 61
Cava, R.J., see Suzuki, Y. 1
Chaddha, G.S., A. Sharma, Effect of biquadratic exchange and crystal field anisotropy on the Curie temperature of anisotropic ferromagnet 373
Chang, Y.H., see Hsu, H.W. 90
Chen, C.A., see Shih, J.C. 101
Chen, G.J., see Hsu, H.W. 90
Chen, J., see Saito, H. 153
Chevalier, B., see Pechev, S. 282
Chin, T.S., see Shih, J.C. 101
Choi, J.M., S. Kim, I.K. Schuller, S.M. Paik and C.N. Whang, Suppression of magnetic coercivity in thin Ni films near the percolation threshold 54
Cohen, L.F., see Blamire, M.G. 359

Dai, Y.Y., see Gao, R.W. 97
Darriet, B., see Pechev, S. 282
De Boer, F.R., see Schobinger-Papamantellos, P. 261
De Groot, C.H., see Schobinger-Papamantellos, P. 261
Densmore, A., see Rancourt, D.G. L255
Dimesso, L., G. Miehe, H. Fuess and H. Hahn, Preparation of nanostructured granular Ag–Co and Ag–Fe alloys by gas flow condensation technique 162
Du, J.H., W.J. Liu, Q. Li, H. Sang, S.Y. Zhang, Y.W. Du and D. Feng, Microstructural characterization of CoAg granular films 17
Du, Y.W., see Du, J.H. 17
Duden, T., E. Bauer, Exchange coupling in Co/Cu/Co sandwiches studied by spin-polarized low energy electron microscopy 301
Dunlap, R.A., see Rancourt, D.G. L255
Durrell, J.H., see Blamire, M.G. 359

Ebert, H., see Popescu, V. 368
Elmers, H.-J., see Höche, H. 313
Etourneau, J., see Pechev, S. 282
Evetts, J.E., see Blamire, M.G. 359

Fang, H.C., C.K. Ong, X.Y. Zhang, Y. Li, X.Z. Wang, Z. Yang, Low temperature characterization of nanosized $BaFe_{12-2x}Zn_xSn_xO_{19}$ particles 277
Fang, J.S., see Shih, J.C. 101
Felner, I., see Peleg, N. 349
Feng, D., see Du, J.H. 17
Fischer, R. and H. Kronmüller, Computation of the transition from the soft to the hard magnetic state by varying the anisotropy constant of nanoscaled $Nd_2Fe_{14}B$ 181

0304-8853/99/$ – see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00528-9

Fischer, R. and H. Kronmüller, The role of the exchange interaction in nanocrystalline isotropic $Nd_2Fe_{14}B$-magnets 225
Fölsch, S., A. Helms, A. Steidinger and K.H. Rieder, Pseudomorphic Co/Cr(1 1 0) films investigated by magnetic dichroism in photoemission and MOKE 38
Foo, C.F., see Zhang, D.M. 189
Fuess, H., see Dimesso, L. 162

Gao, R.W., J.C. Zhang, D.H. Zhang, Y.Y. Dai, X.H. Meng, Z.M. Wang, Y.J. Zhang and H.Q. Liu, Dependence of the magnetic properties on the alignment magnetic field for NdFeB bonded magnets made from anisotropic HDDR powders 97
Gao, Y., J. Zhu, Y. Weng, E.B. Park and C.J. Yang, The enhanced exchange coupled interaction in nanocrystalline $Nd_2Fe_{14}B/Fe_3B + \alpha Fe$ alloys with improved microstructure 146
García, D., J.L. Muñoz, G. Kurlyandskaya, M. Vázquez, M. Ali, M.R.J. Gibbs, Induced anisotropy, magnetic domain structure and magnetoimpedance effect in CoFeB amorphous thin films 339
Gerhards, Ch., see Tang, W. 45
Gewinner, G., see Berling, D. 331
Gibbs, M.R.J., see García, D. 339
Goldstein, J.I., see Rancourt, D.G. L255
Gonzalez, J., see Szymczak, H. 199
Gorodetsky, G., see Peleg, N. 349
Gorodetsky, G., see Peleg, N. 354

Hahn, H., see Dimesso, L. 162
Hamdeh, H.H., K. Barghout, J.C. Ho, P.M. Shand and L.L. Miller, A Mössbauer evaluation of cation distribution in titanomagnetites 72
Han-min, J., see Kim, Y.B. 133
Hanf, M.C., see Berling, D. 331
Heise, J., see Tang, W. 45
Helms, A., see Fölsch, S. 38
Herr, A., see Maret, M. 61
Ho, J.C., see Hamdeh, H.H. 72
Höche, H., H.-J. Elmers, Torsion oscillation magnetometry (TOM) of Fe films on Ni(1 1 1)/W(1 1 0) substrates 313
Hofmann, M., see Szytuła, A. 122
Hong, S., see Berling, D. 331
Hricovini, K., see Berling, D. 331
Hsu, H.W., Y.H. Chang, G.J. Chen and K.J. Lin, Magnetic and electrical properties of the oxide system of $La_{0.8}Sr_{0.2}Co_{1-x}Cu_xO_{3-\delta}$ 90
Hu, G., see Suzuki, Y. 1
Hu, H.N., see Sun, H.Y. 345

Ishio, S., see Saito, H. 153

Kang, S.Y., see Lim, S.H. 113
Karczewski, G., see Yakovlev, D.R. 25
Kempnyk, V.I., see Zayachuk, D.M. 207
Kim, M.H., K.S. Lee and S.H. Lim, Magnetostriction measurements of metallic glass ribbon by fiber-optic Mach–Zehnder interferometry 107
Kim, M.J., see Kim, Y.B. 133
Kim, S., see Choi, J.M. 54
Kim, S.-K., see Kortright, J.B. 79
Kim, S.R., see Lim, S.H. 113
Kim, T.K., see Kim, Y.B. 133
Kim, Y.B., M.J. Kim, J. Han-min and T.K. Kim, Spin reorientation and magnetocrystalline anisotropy of $(Nd_{1-x}Pr_x)_2Fe_{14}B$ 133
Kolenda, M., see Szytuła, A. 122
Kortright, J.B., M. Rice, S.-K. Kim, C.C. Walton and T. Warwick, Optics for element-resolved soft X-ray magneto-optical studies 79
Kossut, J., see Yakovlev, D.R. 25
Kraftmakher, Y., see Laulicht, I. 13
Kremenovic, A., see Rodic, D. 137
Kronmüller, H., see Fischer, R. 181
Kronmüller, H., see Fischer, R. 225
Kurlyandskaya, G., see García, D. 339

Laffargue, D., see Pechev, S. 282
Lagarec, K., see Rancourt, D.G. L255
Landwehr, G., see Yakovlev, D.R. 25
Laulicht, I. and Y. Kraftmakher, Extraordinary power and modulation dependence of the auto-oscillation frequency in tangentially magnetized YIG films 13
Lebourgeois, R., see Lé, V. 169
Leciejewicz, J., see Szytuła, A. 122
Lee, K.S., see Kim, M.H. 107
Lefebvre, S., see Maret, M. 61
Léger, V., C. Ramiarinjaona, R. Barrué and R. Lebourgeois, Composite magnetic materials based on nanocrystalline powders for middle- and high-frequency applications up to 1 MHz 169
Li, Q., see Du, J.H. 17
Li, Y., see Fang, H.C. 277
Lim, S.H., see Kim, M.H. 107
Lim, S.H., S.R. Kim, S.Y. Kang, J.K. Park, J.T. Nam and D. Son, Magnetostrictive properties of polymer-bonded Terfenol-D composites 113
Lin, K.J., see Hsu, H.W. 90
Liu, H.Q., see Gao, R.W. 97
Liu, W.J., see Du, J.H. 17
Loegel, B., see Berling, D. 331
Lu, M., see Wei, F. 249
Luca, D., see Socoliuc, V. 241
Lyberatos, A., Magnetic viscosity in the high frequency regime 380

Maret, M., M.C. Cadeville, A. Herr, R. Poinsot, E. Beaurepaire, S. Lefebvre and M. Bessière, Enhanced perpendicular magnetic anisotropy in chemically long-range ordered (0 0 0 1)Co_xPt_{1-x} films 61
Matar, S.F., see Mohn, P. 234
Mathur, N.D., see Blamire, M.G. 359

McManus Driscoll, J.L., see Blamire, M.G. 359
Mehdaoui, A., see Berling, D. 331
Meng, X.H., see Gao, R.W. 97
Miehe, G., see Dimesso, L. 162
Migdadi, Sh., see Abu-Aljarayesh, I. 174
Miller, L.L., see Hamdeh, H.H. 72
Mitric, M., see Rodic, D. 137
Mohn, P. and S.F. Matar, The γ-Fe_4N system revisited: an ab initio calculation study of the magnetic interactions 234
Muñoz, J.L., see García, D. 339

Nam, J.T., see Lim, S.H. 113
Nie, X.F., see Sun, H.Y. 345
Noël, H., see Rogl, P. 291

Ong, C.K., see Fang, H.C. 277
Ossau, W., see Yakovlev, D.R. 25
Osvath, L., see Socoliuc, V. 241

Paik, S.M., see Choi, J.M. 54
Park, E.B., see Gao, Y. 146
Park, J.K., see Lim, S.H. 113
Pechev, S., B. Chevalier, D. Laffargue, B. Darriet, T. Roisnel, J. Etourneau, Magnetic behavior of the ternary silicide $U_3Cu_4Si_4$ 282
Peleg, N., S. Shtrikman, G. Gorodetsky, I. Felner, Magnetic study of particle distribution in granular AuCo 349
Peleg, N., G. Gorodetsky, Studies of remnant magnetoresistance in granular AuCo films 354
Penc, B., see Szytuła, A. 122
Pirri, C., see Berling, D. 331
Pizzini, S., see Bordel, C. 323
Poinsot, R., see Maret, M. 61
Popescu, V., H. Ebert, D. Ahlers, Magnetic EXAFS at the K- and $L_{2,3}$-edges of FCC-Ni 368
Porte, M., see Bordel, C. 323

Ramiarinjaona, C., see Lé, V. 169
Rancourt, D.G., K. Lagarec, A. Densmore, R.A. Dunlap, J.I. Goldstein, R.J. Reisener, R.B. Scorzelli, Experimental proof of the distinct electronic structure of a new meteoritic Fe–Ni alloy phase L255
Raşa, M., see Socoliuc, V. 241
Reisener, R.J., see Rancourt, D.G. L255
Rice, M., see Kortright, J.B. 79
Rieder, K.H., see Fölsch, S. 38
Rodic, D., M. Mitric, R. Tellgren, H. Rundlof and A. Kremenovic, True magnetic structure of the ferrimagnetic garnet $Y_3Fe_5O_{12}$ and magnetic moments of iron ions 137
Rodríguez-Carvajal, J., see Schobinger-Papamantellos, P. 261
Rogl, P., G. André, F. Boureé, H. Noël, Magnetic structures of $U_3M_2M'_3$, M = Al, Ga; M′ = Si, Ge: a neutron powder diffraction study 291
Roisnel, T., see Pechev, S. 282
Romanov, V.S., see Buchelnikov, V.D. 203
Rundlof, H., see Rodic, D. 137

Saito, H., J. Chen and S. Ishio, Description of magnetic force microscopy by three-dimensional tip Green's function for sample magnetic charges 153
Sang, H., see Du, J.H. 17
Schmool, D.S. and J.M. Barandiarán, New phenomena in the study of shape effects in ferromagnetic resonance 211
Schobinger-Papamantellos, P., J. Rodríguez-Carvajal, G. André, C.H. de Groot, F.R. de Boer, K.H.J. Buschow, Magnetic ordering of $ErFe_4Ge_2$ studied by neutron diffraction and magnetic measurements 261
Schuller, I.K., see Choi, J.M. 54
Scorzelli, R.B., see Rancourt, D.G. L255
Shand, P.M., see Hamdeh, H.H. 72
Sharma, A., see Chaddha, G.S. 373
Shih, J.C., T.S. Chin, C.A. Chen and J.S. Fang, The effect of beryllium addition on magnetostriction of the $Tb_{0.3}Dy_{0.7}Fe_2$ alloy 101
Shtrikman, S., see Peleg, N. 349
Socoliuc, V., M. Raşa, V. Sofonea, D. Bica, L. Osvath and D. Luca, Agglomerate formation in moderately concentrated ferrofluids from static magneto-optical measurements 241
Sofonea, V., see Socoliuc, V. 241
Son, D., see Lim, S.H. 113
Steidinger, A., see Fölsch, S. 38
Sun, H.Y., H.N. Hu, G.Q. Wei, L.F. Xian, X.F. Nie, Influence of in-plane fields on the soft segments in garnet bubble films 345
Suzuki, Y., G. Hu, R.B. van Dover and R.J. Cava, Magnetic anisotropy of epitaxial cobalt ferrite thin films 1
Szymczak, H., R. Żuberek and J. Gonzalez, Mechanisms responsible for magnetostriction in heterogeneous magnetic systems 199
Szytuła, A., M. Bałanda, M. Hofmann, J. Leciejewicz, M. Kolenda, B. Penc and A. Zygmunt, Antiferromagnetic properties of ternary silicides RNiSi (R = Tb–Er) 122

Tang, W., Ch. Gerhards, J. Heise and H. Zabel, Thermal expansion behavior of FeNi alloy layers in $Fe_{1-x}Ni_x$/Cu superlattices 45
Tellgren, R., see Rodic, D. 137
Teo, B.-S., see Blamire, M.G. 359
Traverse, A., see Bordel, C. 323
Tuilier, M.H., see Berling, D. 331

Van Dover, R.B., see Suzuki, Y. 1
Vatskitchev, L., see Antonov, I. 9
Vatskitcheva, M., see Antonov, I. 9
Vázquez, M., see García, D. 339
Voiron, J., see Bordel, C. 323

Waag, A., see Yakovlev, D.R. 25
Walton, C.C., see Kortright, J.B. 79
Wang, X.Z., see Fang, H.C. 277
Wang, Z.M., see Gao, R.W. 97
Waplak, S., see Zayachuk, D.M. 207
Warwick, T., see Kortright, J.B. 79
Wei, F., M. Lu and Z. Yang, The temperature dependence of magnetic properties of Zn–Ti substituted Ba-ferrite particles for magnetic recording 249
Wei, G.Q., see Sun, H.Y. 345
Weng, Y., see Gao, Y. 146
Wetzel, P., see Berling, D. 331
Whang, C.N., see Choi, J.M. 54
Wojtowicz, T., see Yakovlev, D.R. 25

Xian, L.F., see Sun, H.Y. 345

Yakovlev, D.R., U. Zehnder, W. Ossau, A. Waag, G. Landwehr, T. Wojtowicz, G. Karczewski and J. Kossut, Optical study of spin glass-like transition in epilayers and quantum well structures containing $Cd_{1-x}Mn_xTe$ 25
Yang, C.J., see Gao, Y. 146
Yang, Z., see Wei, F. 249
Yang, Z., see Fang, H.C. 277

Zabel, H., see Tang, W. 45
Zayachuk, D.M., V.I. Kempnyk, W. Bednarski and S. Waplak, Two charge states of Gd-impurities in the PbTe : Gd crystals 207
Zayak, A.T., see Buchelnikov, V.D. 203
Zehnder, U., see Yakovlev, D.R. 25
Zhang, D.H., see Gao, R.W. 97
Zhang, D.M. and C.F. Foo, A simple method to estimate the magnetic field distribution due to current-carrying winding in toroidal core and its influence on the measurement of complex permeability and core losses 189
Zhang, J.C., see Gao, R.W. 97
Zhang, S.Y., see Du, J.H. 17
Zhang, X.Y., see Fang, H.C. 277
Zhang, Y.J., see Gao, R.W. 97
Zhou, Y., see Bordel, C. 323
Zhu, J., see Gao, Y. 146
Żuberek, R., see Szymczak, H. 199
Zygmunt, A., see Szytuła, A. 122

ELSEVIER

Journal of Magnetism and Magnetic Materials 191 (1999) 392–393

Journal of magnetism and magnetic materials

Subject index to volume 191

Alignment magnetic field 97
Alloys 162
Amorphous ribbon 107
Amorphous systems
– alloys 211
Anisotropic ferromagnet 373
Anisotropy
– cone 133
– magnetic 1
– magnetocrystalline 133
Antiferromagnetism 122, 282
Antitaenite L255
ASW 234
Auto-oscillations 13

Barium ferrite 277
Beryllium 101
Bias field 345
Bilayers 313
Biquadratic exchange 373
Bonded anisotropic magnets 97

Cation distribution 72
Chain-like clusters 174
Chemical order 61
Chromium 38
Co-Pt alloy films 61
Cobalt 38
Cobalt ferrite 1
Cobaltites 90
Coercivity 181, 225
Complex permeability 189
Composite materials 169
Composites 113
Computational micromagnetism 181, 225
Concentration and temperature dependence 249
Crystal field anisotropy 373
Crystal structure 261
Cu buffer layer thickness 54
Curie temperature 373

Demagnetisation 211
Domain wall 9, 345
DOS 234

Eddy currents 169
Electrical resistivity 90
Entropy 174
Epitaxial thin films 1
EPR 207
EXAFS measurements 323
Exchange coupling 301
Exchange interaction 181, 225
Exchange-coupled interaction 146
Exciton 25

Fabrication parameters 113
FeNi alloys 45
Ferrofluid 241
Ferromagnetic 90
Ferromagnetic resonance 211
Ferromagnetic thin films 313
Ferromagnetism 331
Ferromagnets 203
Field distribution 189
Film growth 331
Fine particles 349, 354
Frequency spectrum 169

Gadolinium 207
Giant magnetoimpedance effect 339
Giant magnetoresistance 17, 349, 354
Giant magnetostriction 113
Grain structure 181, 225
Granular films 17
Granular materials 162
Green's function 153
Ground state
– phase diagram 203

Hard magnetic property 97
HDDR process 97
Heterogeneous magnetic systems 199
High frequency switching 380
High-resolution electron microscopy 17
Hyperfine fields 234

Impurity 207
In-plane field 345
Infinite cluster 54
Instabilities 13
Integration 189
Invar behavior 45
Iron silicide 331
Irreducible representation 291
Isomer shifts 234, L255

Kerr effect 331

LAPW 234
Laves phases 101
Lead telluride 207
Linear birefringence 241
Linear dichroism 241
Low-moment L255
LSDA 234

Magnetic anisotropy 61, 181, 225, 313, 339
Magnetic circular X-ray dichroism 368
Magnetic coercivity 54
Magnetic dichroism 38
Magnetic domains 339
Magnetic EXAFS 368
Magnetic films 9
Magnetic fluids 174
Magnetic force microscopy 153
Magnetic imaging 79
Magnetic moment 137, 313
Magnetic pressure 9
Magnetic properties 249
– low temperature 277
– temperature dependence 277
Magnetic recording 249
Magnetic structure 137, 261, 282
– ferrimagnets 291
– ferromagnets 291

0304-8853/99/$ – see front matter © 1999 Elsevier Science B.V. All rights reserved.
PII: S0304-8853(98)00529-0

Magnetic susceptibility 207
Magnetic thin films 79
Magnetic viscosity 380
Magnetism 45
Magnetization 9, 72, 174
Magnetization processes 181
Magneto-optical recording medium 323
Magneto-optics 79
Magnetocaloric effect 174
Magnetoelastic properties 199
Magnetometers 107
Magnetometry 122
Magnetoresistance 90, 359
Magnetostatic interaction 146
Magnetostriction 101, 107, 199, 203, 261
Manganite 359
Maximum energy product 97
Mean free path 301
Meteorite L255
Microstructure 17, 146, 301
Mössbauer L255
Mössbauer spectroscopy 72
Multiple scattering 368

Nano-particle 277
Nanocrystalline materials 199
Nanocrystalline powders 169
Nanocrystalline two-phase magnet 146
Nanophase materials 162
Neutron diffraction 122, 261
Neutron powder diffraction 291
Nucleation process 146

Optical fiber interferometers 107
Optical fiber sensor 107

Parametric excitations 13
Permanent magnets 181, 225
Perovskites 234, 359
Perpendicular uniaxial anisotropy 323
Phase transitions
– magnetic 203
– martensitic-like 203
– structural 203
Photoemission 38
Pinning force 9
Polymer bonding 113
Power losses 189
Pseudomorphic structure 38

Quantum well 25

R factors 137
Rare earth compounds 133, 261
Rare-earth iron compounds 101
Relaxation time 380
Remanence 181
Remanence enhancement 225
Remanent magnetization 349
RF sputtering 339

Sandwiches 301
Semimagnetic semiconductor 25
Shape anisotropy 241
Soft bubble 345
Solid state magnetism 234
Spin cluster 359
Spin polarization 368
Spin reorientation 133
Spin-glass transition 25
Spin-waves 13
Spinel 72
SPLEEM 301
Sputtering 17
Structure 61
Substitution 277
Superlattice 45
Superparamagnetism 349, 354
Surface magnetostriction 199

Taenite L255
Tb–Dy–Fe–Be 101
Terfenol-D 101, 113
Ternary silicides 122, 282
Thermal expansion 45
Thin film magnetism 38
Thin films 339, 349, 354
– amorphous 323
– nitrogenation 323
Thin Ni films 54
Time dependence 359
Titanomagnetites 72
Toroidal core 189
True 137

Uranium 282

Vacuum deposition 162
Variable range hopping 90

Wall relaxation 169

X-ray magnetic circular dichroism 331
X-ray spectroscopy 79

YIG films 13

Zn–Ti doped Ba-ferrite 249